



SD4849Pv USB-C Triple Video Driverless Docking Station with 100W Power Delivery

Part Number: K37060EU, EAN Code: 5028252633475 | K37060UK, EAN Code: 5028252633482

Work on
three screens
quickly and
easily


If you're looking for an easy-to-use plug-and-play USB-C docking solution that offers speed, power and the flexibility to connect up to three monitors, the SD4849Pv USB-C Triple Video Driverless Docking Station is the ideal solution. No drivers, downloads or updates necessary - just plug it in and go. 100W Power Delivery keeps your laptop charged, while 10Gbps transfer speed ensures productivity is never compromised. With thirteen ports in all, you'll have the flexibility to add multiple devices without additional dongles or adapters.

Features include:

- Driverless USB-C connectivity
- 10Gbps data transfer speeds
- 100W Power Delivery (PD 3.0)
- Universal Windows compatibility
- Numerous video ports
- 10Gbps data transfer speeds
- 13-port design with 5 USB ports
- SD and Micro UHS-I SD 3.0 card readers
- Vertical design
- Free Kensington DockWorks™ Software
- Three-year warranty

SD4849Pv USB-C Triple Video Driverless Docking Station with 100W Power Delivery

Part Number: K37060EU, EAN Code: 5028252633475 | K37060UK, EAN Code: 5028252633482



SD4849Pv USB-C Triple Video Driverless Docking Station with 100W Power Delivery

Part Number: K37060EU, EAN Code: 5028252633475 | K37060UK, EAN Code: 5028252633482



Driverless, USB-C Connectivity with 100W Power Delivery (PD 3.0)

No driver installation, download or update required - just plug and play. 100W Power Delivery charges most laptops at maximum speed.



Universal Windows Compatibility

Connects seamlessly to any USB-C laptop running Windows 10 and above.



Numerous Video Ports

With 2 x HDMI 2.0 ports, 1 x DP1.4++ port and 1 x VGA port to support legacy monitors, select the right connections and resolutions for your needs.



10Gbps Data Transfer Speeds

Supporting ultra-fast and efficient data transfer, this docking station includes a 1m USB-C to USB-C 3.2 Gen2 cable for flexible placement.



13-Port Design with 5 USB Ports

The front features 1 x USB-C 3.2 Gen2 port (up to 5V/1.5A/10Gbps), 2 x USB-A 3.2 Gen2 ports (up to 5V/0.9A/10Gbps), a combo audio port and SD and Micro SD UHS-I 3.0 card readers. The rear features 2 x USB-A 2.0 ports (ideal for keyboards and mice), 1 x Gigabit Ethernet port and four video ports (2 x HDMI 2.0 ports, 1 x DP1.4++ port and 1 x VGA port).



SD and Micro SD UHS-I 3.0 Card Readers

Transfer files fast, using the built-in SD and Micro SD card readers. No need for additional adapters and accessories to transfer hi-res photos and video footage.



Vertical Design

Maximises desktop space.



Free Kensington DockWorks™ Software and Three-Year Warranty

DockWorks™ WiFi Auto-Switch guarantees the fastest, most reliable internet connection. MAC Address ID Pass-Through and Reset, together with Device Connection Monitoring give IT managers maximum network monitoring and visibility. A three-year warranty lets you rest assured knowing you're covered by Kensington.

SD4849Pv USB-C Triple Video Driverless Docking Station with 100W Power Delivery

Part Number: K37060EU, EAN Code: 5028252633475 | K37060UK, EAN Code: 5028252633482

System Requirements

Systems Supported	All Laptops with USB-C port (must support USB-C Alt mode)
Operating Systems Supported	Windows® 10 or above
Plug & Play	Yes
Software	n/a
System Resource Requirement	CPU: Intel® Core™ i5 6th generation or above Memory: 8Gb or above GPU: Intel® HD Graphics 620 or above
Additional Software Information	DockWorks (Windows 10+)
USB-C Power Delivery	PD3.0, 5V/ 9V/ 15V/ 20V@5A (up to 100W)

USB Interface

Type of USB Connector	USB-C Connector
Host Connector	Support USB3.2 Gen2 Type-C with USB-C Alt mode

USB Connections

Ports	Front Panel : <ul style="list-style-type: none">- 1 x Power Button- 1 x USB-C 3.2 Gen2 (up to 5V/1.5A)- 2 x USB-A 3.2 Gen2 (up to 5V/0.9A)- 1 x SD/Micro SD 3.0 card reader (UHS-I)- 1 x Audio Combo Jack Back Panel : <ul style="list-style-type: none">- 1 x USB-C Host Port (up to 100W Charging)- 2 x HDMI 2.0- 1 x DP1.4++ / 1 x VGA- 1 x 1Gbps Ethernet- 2 x USB-A 2.0 (up to 5V/0.9A)
-------	--

Network Connections

Ethernet Port	RJ45
Compatible Ethernet Speeds	10/100/1000 Mbps


























Host Connectivity

Host Docking Connector	USB-C with Power Delivery up to 100W
------------------------	--------------------------------------

SD4849Pv USB-C Triple Video Driverless Docking Station with 100W Power Delivery

Part Number: K37060EU, EAN Code: 5028252633475 | K37060UK, EAN Code: 5028252633482

Video Connections

Video Connectors		1 x DisplayPort v1.4 ++ 2 x HDMI 2.0	
Maximum Resolution Supported		Refer to table	
	1X 		
	DP1.2	DP1.4 (DSC ON)	
 	3840*2160 @ 30Hz	3840*2160 @ 60Hz	
	1080p @ 60Hz		
	2X 		
	DP1.2	DP1.4 (DSC ON)	
  	1080p @ 60Hz	3840*2160 @ 60Hz	
 	1080p @ 60Hz	3840*2160 @ 60Hz	
 	1080p @ 60Hz	3840*2160 @ 60Hz	
		1080p @ 60Hz	
	3X 		
	DP1.2	DP1.4 (DSC ON)	
  	1600*900 @ 60Hz	3840*2160 @ 30Hz	
  	1600*900 @ 60Hz	3840*2160 @ 30Hz	
 		1080p @ 60Hz	

Audio Connections

Audio Connectors	1 x 3.5mm audio combo jack
Audio Channels Supported	Stereo LR

LED Indicator

Blue LED	Power indicator
----------	-----------------

Material Specifications

Exterior	Enclosure: PC + ABS with texture
Bottom	Metal Base Plate: Sheet metal
Product Colour	PMS Black

Product Dimensions

Unit Weight	0.6kg (1.32lbs)
Unit Dimensions without Peripherals	68 x 115 x 190mm (2.67 x 4.52 x 7.48") WDH
Enclosure Colour & Material	PMS Black, PC ABS
Desktop Footprint	78cm ² (12.12sq.in)

SD4849Pv USB-C Triple Video Driverless Docking Station with 100W Power Delivery

Part Number: K37060EU, EAN Code: 5028252633475 | K37060UK, EAN Code: 5028252633482

Packaging Dimensions

Packaging Style	Bulk Package
Packaging Dimensions	210 x 125 x 90mm (8.26 x 4.92 x 3.54")
Packaging Weight	1.63kg (3.59lbs)
Packaging Content	1 x SD4849Pv Dock 1 x 1m USB-C cable 1 x Power Supply Unit (Power Cord varies by different SKUs) 1 x Instruction Guide 1 x Warranty Card 1 x Compliance Sheet
Master Carton	4

Power and Environmental

Power Adapter Rating	Input: 100-240V; 2.5A / Output: 20V DC 9A (180W)
Relative Humidity	55% RH operating temperature @ 25°C
Operating Temperature	0 to 45°
Storage Temperature	0 to 60°

Country of Origin, Regulatory, and Warranty

Country of Origin	China
Certifications & Compliance	FCC, IC, CE, RCM, VCCI, UKCA, CB, RoHS, ACCO RSL
Warranty	3-Year Limited - worldwide

Special Notes

Multiple SKUS	Bulk Package (K37060EU/UK)
---------------	----------------------------



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2022 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT37883EN

Kensington
The Professionals' Choice™