

L1000 Bicolour Ring Light with Webcam Mount

Part Number: K87653WW | UPC Code: 0 85896 87653 3

Perfect lighting for video conferencing.

Kensington's L1000 Bicolour Ring Light with Webcam Mount is an affordable, feature-rich lighting solution for quickly improving the way you look on video conference calls. The Ring Light provides optimum brightness for office environments, with the ability to mount your webcam in the centre of the ring to ensure consistently perfect light distribution.

Features include:

- Optimised Office Lighting
- Adjustable Colour Temperature
- Push Button Controls
- USB-A Powered (5V/2.0A)
- 1/4" Centre-Ring Webcam Mount
- Flexible Positioning
- Kensington Ecosystem Compatible
- Wipe Down Compatible
- Industry Leading Warranty

^{*} Stand sold separately. Optional accessories include Desktop Stand (K87651WW), C-Clamp (K87654WW) and Boom Arm (K87652WW).


Kensington

L1000 Bicolour Ring Light with Webcam Mount

Part Number: K87653WW | UPC Code: 0 85896 87653 3



Optimised Office Lighting Distributes light evenly and eliminates harsh face shadows.



Adjustable Colour Temperature Select the best light colour (cool, natural, warm) anywhere, anytime.



Push Button Controls Easily change lighting levels at the touch of a button.



USB-A Powered

No outlet required- simply attach to any open USB-A port (5V/2.0A).



1/4" Centre-Ring Webcam Mount

Perfect light distribution- even if you change the angle of your webcam.

*Stand sold separately

Kensington

L1000 Bicolour Ring Light with Webcam Mount

Part Number: K87653WW | UPC Code: 0 85896 87653 3

| System Requirements | S | |
|------------------------|-----------------------------|---|
| | USB-A Power Delivery | 5V/2.0A |
| USB Interface | | |
| | Type of USB Connector | USB-A |
| Material Specification | ns | |
| | Light ring Base | ABS |
| | Light ring cover | PC |
| | Cable | TPE |
| | Adapters | Aluminium |
| Product Dimensions | | |
| | Unit Dimensions | Ø260mm x 33mm |
| | Unit Weight | 230g (including adapters 250g) |
| Packaging Dimensior | 15 | |
| | Packaging Style | Retail Box |
| | Packaging Dimensions | 270 x 265 x 42mm (10.63 x 10.43 x 1.65") |
| | Packaging Weight | 0.35kg (0.77lbs) |
| | Packaging Content | Ring Light, Instruction guides, Warranty, ProVC insert, Compliance documents |
| | Master Carton | 350 x 270 x 285mm (13.78 x 10.63 x 11.22") |
| Power & Environmen | tal | |
| | Power Max | 5V/2A |
| | Power Min | 5V/1A |
| Country of Origin, Reg | gulatory and Warranty | |
| | Country of Origin | China |
| | Certifications & Compliance | FCC, IC, CE, RCM, Mexico NOM, Singapore S Mark, IEC/EN 60598 |
| | Warranty | 2-Year Limited - worldwide |



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2022 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT3666EN

Kensington The Professionals' Choice"