

# Kensington®



Product Data Sheet

## SD3650-TAA USB 3.0 Dual 2K Docking Station

Part Number: K38606NA-TAA | UPC Code: 085896386063

### Preserve the Convenience of One-Cable Connectivity

What makes the SD3650-TAA unique is that you can connect dual HD video monitors using DisplayPort and HDMI ports, plus we increased the USB 3.0 accessory expansion ports to four, ideal for a flash drive so it can transfer data at 5Gbps. The dock also features Zero Footprint Mounting, so it can be mounted to the back of a VESA-compatible monitor using a Docking Station Mount (sold separately), perfect for desks with limited space.

- **Single Cable Connectivity**  
One cable connection from laptop to all peripherals on user's desk
- **Maximize Workspace Desk**  
Reduce desktop cable clutter by mounting the dock behind a VESA compatible monitor
- **More Display Productivity**  
Add up to two external monitors to increase work productivity
- **Dual HD Video Output**
- **Zero Footprint Mounting**
- **Extend or Mirror Modes**
- **Four USB 3.0 Ports**
- **Fast-Charging USB Port**
- **Two Rear USB 2.0 Ports**
- **Display Setting Software**
- **Gigabit Ethernet Port**
- **TAA Compliant**



All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2019 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. K17\_2949-TAA

FOR MORE INFORMATION CONTACT: 1-855-692-0054 | [sales@kensington.com](mailto:sales@kensington.com)

**Kensington**  
The Professionals' Choice™


## SD3650-TAA USB 3.0 Dual 2K Docking Station

Part Number: K38606NA-TAA | UPC Code: 085896386063

Front



Back



# SD3650-TAA USB 3.0 Dual 2K Docking Station

Part Number: K38606NA-TAA | UPC Code: 085896386063

## System Requirement

Plug & Play	DisplayLink driver installation required. Download software from <a href="https://www.kensington.com">kensington.com</a> or via Windows update.
Operating Systems Supported	Windows 7 or above, macOS 10.14
System Resource Requirement	CPU: Dual-Core i3 2.8GHz or better RAM: 2GB or higher

## Host Connectivity

Host Docking Connector	USB 3.0 Type-B
------------------------	----------------

## Video Connections

Video Connectors	HDMI v1.3 DisplayPort v1.1 ++ (Passive cables/adapters for HDMI or DVI conversion)
Maximum Resolution Supported	Single Monitor: 2560 x 1600 @ 60Hz Dual Monitors: 2048 x 1152 @ 60Hz
HDCP Support	Yes

## Audio Connections

Audio Connectors	3.5mm audio for headphone/speaker 3.5mm audio for microphone
Audio Channels Supported	Up to 5.1

## USB Connections

USB 2.0 Ports	Two, back panel, speed up to 480Mbps
USB 3.0 Ports	Four, two each on front and back panel, speed up to 5Gbps
USB-C Ports	N/A
Fast Charging	On the right USB 3.0 port on the front panel, up to 2.1A

## Network Connections

Ethernet Port	RJ45
Compatible Ethernet Speeds	10/100/1000 Mbps

## Security and Mounting

Kensington Security Slot	Yes
VESA Mount Compatible	Mounting plate (K33959WW) sold separately

## Product Dimensions

Unit without Peripherals	Width: 198mm (7.8in) Length: 80mm (3.1in) Height: 34mm (1.3in)
Desktop Footprint	158 cm <sup>2</sup> (24 in <sup>2</sup> ); zero if mounted behind VESA compatible monitor
Unit Weight	TBD
Enclosure Color and Material	Black ABS

## Packaging Dimensions

Packaging Style	Brown Box
Packaging Dimensions	Width: 249mm (9.8in) Length: 165mm (6.5in) Height: 84mm (3.3in)
Packaging Weight	0.86kg (1.9lbs)
Master Carton	4 pcs
Package Content	One Kensington SD3650 Dock, One USB 3.0 A to B Cable, 1m (3ft), One Power Adapter with US power prong included, Quick Start Guide, Warranty Information

## Power and Environmental

Power Adapter Rating	Input: 100-240V~50/60Hz; 0.8A Output: 5V DC; 4A, positive center polarity
Operating Temperature	10 to 40°C (50 to 104°F)
Storage Temperature	-10 to 80°C (14 to 176°F)
Relative Humidity	5% to 95% non-condensing

Country of Origin,  
Regulatory, and Warranty

Country of Origin	Taiwan
Certifications & Compliance	FCC, CE, C-Tick, REACH, WEEE, RoHS
Warranty	2-Years worldwide
TAA Compliant	Supports federal government purchasing protocols



All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2019 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. K18\_3213-TAA