

K64494

SmartSockets® Table Top Surge Protector with USB

Part Number: K64494

UPC Code: 085896644941



Providing the trusted protection that has made Kensington The Professionals' Choice in electronic accessories for over 35 years, the SmartSockets® Table Top Surge Protector with USB offers premium surge protection against power spikes for all of your electronic devices. Ideal for conference tables and meeting rooms, the SmartSockets Table Top Surge Protector with USB offers 6 color-coded adapter-style outlets, 4 fast-charging USB ports, 1500 joules of surge dissipation, a 16-foot power cord, and a \$50,000 equipment warranty to cover connected devices.

FEATURES


- Hextuple Safety Protection
- 1500 Joules Of Surge Dissipation
- 6 AC Outlets and 4 Fast Charging USB Ports
- 16-foot Power Cable
- Color-coded Rings with Matching Cord Labels
- UL & CSA Certified

BENEFITS


- **Hextuple Safety Protection** guards against voltage spikes, current surges, power surges, overheating, and short-circuits, while also providing the highest V0 rating available for fire resistant housing in consumer electronics
- **1500 Joules of Surge Dissipation** safeguards computers and other electronic devices
- **Charging up to 10 devices same time** via 6 AC outlets, and 4 USB fast charging ports

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Brand and product names mentioned are trademarks of their respective companies.

FRONT



BACK



All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Brand and product names mentioned are trademarks of their respective companies.

Technical Specifications

AC OUTLET

- **6 AC Outlet with different color codes**
- **Suitable for 2-pole, 3-pole devices**
- 16ft wire exposed, Right Angle Plug
- 14AWG/3C, SJT, 2-in-1 Power Switch

SURGE/ NOISE SUPPRESSION

- **AC Suppression Joule Rating:** 1500 Joules
- **Clamping Voltage:** 500V
- **Protection Modes:** Includes full normal mode (H-N) and common mode (N-G / H-G) line surge suppression

AC POWER RATING

- **AC Power:**
 - Input Voltage: 125V AC
 - Max Load: Up to 15A
 - Frequency Compatibility: 60Hz
 - Output (Watts): 1875

USB CHARGING

- **USB Charger:**
 - Input Voltage: 90-125VAC @60Hz
 - Output Voltage: 5V ± 5%
 - Output Current: 4 Ports; Up to 5V/ 4.8A shared (24W)
 - Each Port can charge up to 5V/2.4A (12W)
 - Efficiency: ≥ 84% @25%, 50%, 75% and 100% load average
 - No Load Power Consumption: ≤0.1W @115VAC
 - Energy efficiency level V6
 - Smart IC (for Apple Charging, Samsung Charging, USB Battery Charging V1.2)

PROTECTION

- **Short Circuit Protection**
- **Over Voltage Protection**
- **Over Power Protection**
- **Over Load Protection:** ≤ 2.9A per port, total shared ≤ 5.4A
- **Over Temperature Protection**
- **V0 Rating fire resistant housing**

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Brand and product names mentioned are trademarks of their respective companies.

LED INDICATOR

- **Two LED indicator lights let you know whether your equipment is protected.**

SmartSockets Surge	Grounded	Protection	Status
Off	Off	Off	Unit is not powered on
On	On	On	Your SmartSockets is plugged into an outlet that's properly grounded and is actively protecting your equipment.
On	Off	On	The situation is not immediately dangerous. However, you should contact your property manager or a qualified electrician to resolve the problem.
On	On or Off	Off	The surge protector has sustained damage. Disconnect your protector and send it to Kensington.

PRODUCT DIMENSIONS

- **Unit Dimensions:**
 - Width: 184mm (7.24 in)
 - Length: 184mm (7.24 in)
 - Height: 44mm (1.73 in)
- **Unit Weight:** 1135g (2.50 lbs)
- **Enclosure Color and Material:** Black Plastic (ABS), PVC Power Cable

PACKAGING DIMENSIONS

- **Packaging Style:** Retail Box
- **Packaging Dimensions:**
 - Width: 230mm (9.06 in)
 - Length: 50mm (1.97 in)
 - Height with Hangtag: 316mm (12.44 in)
 - Height without Hangtag: 284mm (11.18 in)
- **Packaging Weight:** 1600g (3.53lbs)
- **Package Content:**
 - Kensington K64494 Table Top Surge
 - Quick Start Guide
 - Warranty Information
 - Compliance Statement
 - SmartSocket Color Tag Labels
- **Master Carton:** 5 pcs

ENVIRONMENTAL

- **Operating Temperature:** 0 to 40° C (32 to 104° F)
- **Storage Temperature:** -30 to 55° C (-22 to 131° F)
- **Relative Humidity:** 10% to 80% non-condensing

COUNTRY OF ORIGIN, REGULATORY, AND WARRANTY

- **Country of Origin:** China
- **Warranty:** 1 Year Limited Warranty
- **Connected Equipment Insurance:** \$50,000
- **Certifications and Compliance:**
 - EMC: FCC Part 15, ICES-003
 - Safety: UL Certified (UL1449, UL1363, UL498, UL1310, UL1283)
 - Energy Efficiency (AC → DC): DOE Level 6 & NRCAN

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Brand and product names mentioned are trademarks of their respective companies.