

## USB-C Triple Video Driverless Docking Station - 100W PD - DP++/HDMI - Windows

Part Number: K33558 NA/EU/UK/AP/JP | UPC Code: 0 85896 33558 0

Add up to 3 screens, and so much more, quickly and easily.

If you're looking for a driverless USB-C docking solution that offers triple video, 100W Power delivery, and data transfer speeds up to 10Gbps,, then this docking station is for you.

Simply connect it to any USB-C laptop running Windows 10 or later, and choose the right connections and resolutions for your needs.

10-in-1 design features plenty of ports for all your connectivity needs, while a zero-footprint mounting option and security cable lock slots let you maximize desktop space, reduce clutter, and protect your investment.

Free DockWorks™ software and a 3-year limited warranty. Features include:


- Driverless USB-C connectivity
- Universal Windows compatibility
- Numerous video ports
- Dynamic video support
- 100W Power Delivery
- 10-in-1 design with 5 USB ports
- Zero-footprint mounting option and security cable lock slots
- Free Kensington DockWorks™ software
- 3-year limited warranty

## USB-C Triple Video Driverless Docking Station - 100W PD - DP++/HDMI - Windows


Part Number: K33558 NA/EU/UK/AP/JP | UPC Code: 0 85896 33558 0

Front

USB-C Host Port (up to 100W Charging)



Back



# USB-C Triple Video Driverless Docking Station - 100W PD - DP++/HDMI - Windows

Part Number: K33558 NA/EU/UK/AP/JP | UPC Code: 0 85896 33558 0



#### **Driverless USB-C Connectivity**

No driver to download, install, or update. 10Gbps data transfer speed and 100W Power Delivery (PD 3.0) make this an ideal solution for all USB-C Windows laptops supporting DisplayPort Alt Mode and Power Delivery.



#### Universal Windows Compatibility

Connects seamlessly to any laptop running Windows 10 and above.



#### **Numerous Video Ports**

With two DisplayPort++ 1.4 ports and one HDMI 2.0 port, select the right connections and resolutions for your needs. Resolutions supported vary by the device connected (see manual or specifications table for more information).



#### Dynamic Video Support

Supports up to Triple 1080p @ 60Hz — an ideal solution for multi-monitor setups.



#### 100W Power Delivery

Allows you to quickly and easily charge any Thunderbolt 3, Thunderbolt 4, USB4, or USB-C enabled laptop (USB-C laptops must support Power Delivery).



### 10-in-1 Design with 5 USB Ports

The front features one USB-C 3.2 Gen2 port (up to 5V/1.5A/10Gbps), four USB-A 3.2 Gen2 ports (up to 5V/0.9A/10Gbps), and a combo audio port. The rear features a Gigabit Ethernet port, two DP++ 1.4 ports, and one HDMI 2.0 port.



#### Zero-Footprint Mounting Option and Security Cable Lock Slots

Maximize desktop space and reduce cable clutter by mounting your docking station out of the way (mounting bracket K34050WW, sold separately). Lock slots allow you to protect your investment with a cable lock (K60600WW, sold separately).



#### Free Kensington DockWorks™ Software and 3-Year Limited Warranty

DockWorks™ WiFi Auto-Switch guarantees the fastest, most reliable internet connection; while MAC Address ID Pass-Through and Reset, and Device Connection Monitoring give IT managers maximum network monitoring and visibility. A 3-year limited warranty lets you rest assured knowing you're covered by Kensington.

## USB-C Triple Video Driverless Docking Station - 100W PD - DP++/HDMI - Windows

Part Number: K33558 NA/EU/UK/AP/JP | UPC Code: 0 85896 33558 0

Ethernet Port

**Host Connectivity** 

Compatible Ethernet Speeds

Host Docking Connector

	Systems Supported	All Laptops with USB-C port (must support USB-C Alt mode)
	Operating Systems Supported	Windows® 10 or above
	Plug & Play	Yes
	System Resource Requirement	CPU: Intel® Core™ i5 6th generation or above Memory: 8Gb or above GPU: Intel® HD Graphics 620 or above
	Additional Software Information	DockWorks (Windows 10 +)
	USB-C Power Delivery	PD3.0, 5V/ 9V/ 15V/ 20V@5A (up to 100W)
USB Interface		
	Type of USB Connector	USB-C Connector
	Host Connector	Supports USB3.2 Gen1 Type-C with USB-C Alt Mode and Power Delivery
USB Connections		
	Ports	Front Panel 1 x Power Button 1 x USB-C 3.2 Gen2 10Gbps (up to 5V/1.5A) 4 x USB-A 3.2 Gen2 10Gbps (up to 5V/0.9A) 1 x Audio Combo Jack
		Side Panel 1 x USB-C Host Port (up to 100W Charging)
		Back Panel
		1 x HDMI 2.0 2 x DP1.4++
		1 x 1Gbps Ethernet 1 x DC Jack
Network Connections		

RJ45

10/100/1000Mbps


USB-C with Power Delivery up to 100W


# USB-C Triple Video Driverless Docking Station - 100W PD - DP++/HDMI - Windows

Part Number: K33558 NA/EU/UK/AP/JP | UPC Code: 0 85896 33558 0


#### Video Connections


Video Connectors	2 x DisplayPort v1.4 ++ 1 x HDMI 2.0
Maximum Resolution Supported	- Triple Display up to 2 x 4K@30Hz (DP+DP) + 1 x 1080p@60Hz (HDMI) - Dual Display up to 2 x 4K@60Hz (DP+DP) - Single Display up to 1 x 4K@60Hz (DP or HDMI) - Host DP1.4 (DSC on)
HDCP Support	HDCP 2.2 & 1.4





<b>⊘⇒</b>	DP1.2	DP1.4 (	DSC ON)
DP++	1080p @ 30Hz	4K @ 30Hz (first come, first serve)	1080p @ 60Hz
DP++	1080p @ 30Hz	4K @ 30Hz (first come, first serve)	1080p @ 60Hz
HDMI	1080p @ 30Hz	1080p @ 60Hz	4K @ 30Hz (first come, first serve)





#### **Audio Connections**

	Audio Connectors	1 x 3.5mm audio combo jack
	Audio Channels Supported	Stereo LR
LED Indicator		
	Blue LED	Power indicator
Material Specifications		
	Exterior	PC + ABS with texture
	Bottom	PC + ABS with texture
	Product Color	Pantone Black C
Other Features		
	Kensington Security Slot	MicroSaver® 2.0 Keyed Lock, NanoSaver™ Keyed Laptop Lock
	VESA Mount Compatible	Yes

## USB-C Triple Video Driverless Docking Station - 100W PD - DP++/HDMI - Windows

Part Number: K33558 NA/EU/UK/AP/JP | UPC Code: 0 85896 33558 0

Product	Dimer	rsions

		0.60[h-/0.37[h-)
	Unit Weight	0.60lbs (0.27kg)
	Unit Dimensions without Peripherals	7.09 x 3.15 x 0.87in (180 x 80 x 22mm)
	Enclosure Color & Material	PC + ABS with texture, Pantone Black C
	Desktop Footprint	22.32in² (144cm²)
Packaging Dimensic	ons	
	Packaging Style	Bulk Package (K33558 NA/EU/UK/AP/JP)
	Packaging Dimensions	7.72 x 3.98 x 3.98in (196 x 101 x 101mm)
	Packaging Weight	2.31lbs (1.05kg)
	Packaging Content	1 x USB-C Dock 1 x 1m USB-C cable 1 x Power Supply Unit (varies by SKUs) 1 x Instruction Guide 1 x Warranty Card 1 x Compliance Sheet
Power and Environn	nental	
	Power Adapter Rating	Input: 100-240V; 2.5A / Output: 20V DC 6.75A (135W)
	Relative Humidity	55% operating temperature @ 77° F (25°C)
	Operating Temperature	32 to 104°F (0 to 45°C)
	Storage Temperature	32 to 140°F (0 to 60°C)
Country of Origin, Re	egulatory, and Warranty	
	Country of Origin	China for EU/UK/AP/JP, Vietnam for NA
	Certifications & Compliance	CE, CB, ErP, FCC, ICES, UKCA, VCCI, ACCO RS
	Warranty	3-Year Limited - worldwide
Special Notes		
	Multiple SKUS	Bulk Package (K33558 NA/EU/UK/AP/JP)



