

### ProGlow™ Portable Video Conferencing Light

Part Number: K87640CA | UPC Code: 85896876403

Portable and versatile lighting for busy professionals.

Are you a busy professional who wants to elevate the way you look on video conferencing calls or livestreams? Look no further than the ProGlow™ Portable Video Conferencing Light.

This portable and versatile lighting solution is designed to improve your appearance no matter where you happen to be. With its compact size, desktop stand, and easy clip-on feature, it effortlessly enhances your on-screen presence and helps you say goodbye to unflattering shadows and inconsistent lighting.

Whether you're recording videos, conducting virtual meetings, or simply working from home, the ProGlow™ Portable Video Conferencing Light will help you consistently present your most flattering self.

- Lightweight and portable
- Wide temperature range (3000K to 6500K)
- Up to 240 lumens in 5 color settings with 5 levels of brightness
- Includes desktop stand, monitor mount, and mobile device clip
- USB-A or battery powered
- Kensington ecosystem compatible
- 2-year limited warranty

## Kensington

### ProGlow™ Portable Video Conferencing Light

Part Number: K87640CA | UPC Code: 85896876403



#### **Compact Design**

A lightweight and portable solution that accommodates a variety of workspaces and mobile device setups.



#### Kensington Ecosystem Compatible

Create a tailored Professional Video Conferencing setup based on your environment by combining with other accessories, like the H3000 Bluetooth® Over-Ear Headset.



#### Flattering Lighting

Provides a wide temperature range (3000K to 6500K) and up to 240 lumens in 5 color settings with 5 levels of brightness via a frameless diffuser—ensuring soft, flattering lighting in any setting.



#### **Versatile Mounting Options**

Accommodates a wide range of setups. The desktop stand/monitor mount pivots vertically up to 180°, rotates 360°, and extends up to 8.5 inches (216mm). The mobile device clip pivots, rotates, and easily attaches to smartphones and tablets.



#### **USB-A or Battery Powered**

No outlet required—simply attach to any open USB-A port on your laptop or docking station, or use the integrated 2000 mAh battery for 2 to 25h of usage while on the go.

<sup>\*</sup> Includes charging cable.

<sup>\*</sup>Actual usage time may vary depending on brightness setting and a fully charged battery.



Monitor Clip Mount

# ProGlow™ Portable Video Conferencing Light

Part Number: K87640CA | UPC Code: 85896876403

System Requirement	ts	
	Operating Systems Supported	Windows® 10+, macOS 11+
	Plug & Play	Yes
USB Interface		
	USB Connector On Unit	Type C
	Power	4W
Light		
	Max Lumens	240
	Color Temperature Range	3,000K to 6,500K
	Color Rendering Index	>90
	Diffuser	Frameless
Controls		
	Location	Top of unit
	Brightness	5 Levels
	Color Temperature	5 Levels
	Power	On/Off
Stand		
	Maximum Height As A Stand	22.5cm ( 8.9")
	Minimum Height As A Stand	15cm (5.9")
	Maximum Height as a Montior Mount	31cm ( 12.2")
	Minimum Height as a Monitor Mount	23.5cm ( 9.3")
	Horizontal Rotation	360°
	Vertical Rotation	180°

	Maximum Opening	3.5cm ( 1.4")	
	Dimensions	8.2 x 4.2cm ( 3.2 x 1.7")	
	Horizontal Rotation	360°	
	Vertical Rotation	120°	
Material Specification	5		

Material Specifications			
	Light	ABS, metal	
	Stand/Mount	ABS, metal	
	Monitor Clip	ABS, metal	



## ProGlow™ Portable Video Conferencing Light

Part Number: K87640CA | UPC Code: 85896876403

Overall Product Dimensi	ons	
	Light Without Stand Or Mount	9.5 x 9.5cm ( 3.8")
	With Stand Fully Extended	31cm ( 12.2")
	With Stand Fully Retracted	23.5cm ( 9.3")
Packaging Dimensions		
	Packaging Style	Retail Package
	Packaging Dimensions	17 x 17 x 4.4cm ( 6.7 x 6.7 x 1.73")
	Packaging Weight	310g (0.68lbs)
	Packaging Content	Light, stand, clip mount, instruction manual, warranty card
	Master Carton	37.2 x 19 x 19cm ( 14.7 x 7.5 x 7.5")
Power & Environmental		
	Power On	5V/2A
	Operating Temperature	0 to 40°C (32 to 104°F)
Country Of Origin, Regul	atory, And Warranty	
	Country of Origin	China
	Certifications & Compliance	CB, FCC, ICES, DOE, CE
	Warranty	2-Year Limited - worldwide



