

MY430 EQ Rechargeable Mouse

Part Number: K75507EU | EAN Code: 5028252643924

The more sustainable mouse.

Ideal for professionals requiring a fully-featured mouse and organisations putting sustainability at the forefront, the MY430 EQ Rechargeable Mouse delivers productivity and convenience.

The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly).

The mouse can be used wirelessly across three different devices. The onboard rechargeable battery does away with the need for disposable batteries, lasting up to 4 months on a single charge. With six buttons, MY430 provides improved navigation and productivity features which users can enhance further with free KensingtonWorks™ software.

- Connects up to three active devices
- The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)
- Provides up to 4 months of battery life on a single charge
- 6-button design enhances navigation and productivity
- Silent left/right buttons support a quiet and focused environment
- Customise with free KensingtonWorks™ software
- 2.4GHz receiver provides 128-bit AES government-grade encryption security
- Multiple DPI settings (1000/1600/2400)
- · 3-year limited warranty



Kensington

MY430 EQ Rechargeable Mouse

Part Number: K75507EU | EAN Code: 5028252643924



Multiple Connectivity Options

Connect up to three active devices - two via Bluetooth® Low Energy (LE) and one using the included 2.4GHz USB-A receiver. Includes built-in dongle storage. Windows, macOS and ChromeOS compatible.



Sustainability Focused

The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly).



Long-Lasting Rechargeable Battery

Provides up to 4 months of battery life on a single charge and includes USB-C® charging cable.



6 Buttons and Silent Left/Right Buttons

Left, right, forward, back, scroll/middleclick and DPI buttons enhance navigation and productivity. Silent left/ right buttons support a quiet work environment.



Customise with free KensingtonWorks™ software

Personalise MY430's 5-programmable buttons with free KensingtonWorks™ software to deliver enhanced productivity and convenience.



Government Grade Encryption

2.4GHz receiver provides 128-bit AES governmentgrade encryption security.



High-Definition Optical Sensor

Adjust cursor precision and sensitivity quickly and easily with 1000/1600/2400DPI options.



MY430 EQ Rechargeable Mouse

Part Number: K75507EU | EAN Code: 5028252643924

C 1	ь.	
Cuctom	PAGILI	rements
7// 5/1 11/1	R = (11111111111111111111111111111111111	10110111

· · · · · · · · · · · · · · · · · · ·		
	Operating Systems Supported	Windows 10 and above macOS 10.14 and above
		ChromeOS V91 and above
	Plug & Play	Yes for basic mousing functions
	Software	KensingtonWorks™ for customisation Download from Kensington website
		(www.kensington.com/kensingtonworks)
		* KensingtonWorks™ customization software only supported under Windows & macOS
	System Resource Requirement	Bluetooth® LE
		(Legacy Bluetooth 3.0 is not supported.)
USB Interface		
	Type of USB Connector	USB 2.0 Connector (USB-C® on the device side)
	Wireless Dongle Host Connector	Supports USB 2.0/3.0 Type A
Wireless Connection		
		Dual Wireless via Bluetooth® LE
		or 2.4GHz Wireless Nano Receiver
Wireless Range		
		Up to 10m (33')
Host Connectivity		
	Host Docking Connector	2.4GHz receiver or Bluetooth® LE
Security - Software		
	USB Data Encryption	AES-128 for 2.4GHz Wireless connection

Kensington

MY430 EQ Rechargeable Mouse

Part Number: K75507EU | EAN Code: 5028252643924

LED Indicators & Buttons

	LED Indicators	Status LED:
	ELD INDICATORS	Solid Red:Charging Off: fully-charged Flashing Red: Low Battery
		Channel LED:
		◆ Channel 1: 2.4GHz
		· Solid Green: Connected
		· Flashing Green: Not connected
		• Channel 2: Bluetooth® LE 1
		· Solid Blue: Connected
		 Slow Flashing Blue: Not connected Quick Flashing Blue: Paring Mode (lasts for 120s)
		• Channel 3: Bluetooth® LE 2
		· Solid White: Connected
		 Slow Flashing White: Not connected Quick Flashing White: Paring Mode (lasts for 120
	Buttons	Top: Left Click, Right Click, Back, Forward,
		Scroll Wheel with Middle Click, DPI Switch
		Underside: Channel Switch Back & Forward Not available under macOS by
		default
	Programmable Buttons	5 (Left Click, Right Click, Middle Click, Backward, Forward)
	Switchable DPI	1000/1600/2400
Material Specifications		
	Top Case	The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)
	Scroll Wheel	PC + Rubber
	Bottom Case	The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)
	Bottom Anti-Slip Feet	Teflon
	2.4G Nano Receiver	PC
	Charging Cable	1.8m, TPE
Product Dimensions		
	Unit Dimensions	59.6 x 39.3 x 115.5mm (2.3 x 1.6 x 4.6")
	Unit Weight	79.4g (0.175lbs)
	Enclosure Colour & Material	Black/PCR ABS
	USB Receiver Dimension	15 x 6.5 x 19mm (0.59 x 0.25 x 0.75")

Kensington

MY430 EQ Rechargeable Mouse

Part Number: K75507EU | EAN Code: 5028252643924

	ensions

1 x Quick Start Guide 1 x Compliance Sheet 1 x Warranty Card	Packaging Dimensions		
(individual) Packaging Weight (individual; all contents included) Packaging Content Packaging Content Packaging Content Ix MY430 Mouse 1x USB-A Receiver 1x USB-A (Male) to USB-A (Male) Charging Cable 1x Quick Start Guide 1x Compliance Sheet 1x Warranty Card Master Carton Master Carton Packaging Dimensions 291 x 120 x 147mm (11.4 x 4.7 x 5.8") Master Carton Packaging Weight (all contents included) Power & Environmental Power Imaging Bluetooth: 3.7V, 1.9mA / 2.4GHz: 3.7V, 2.1mA Power Standby 3.7V 0.03mA Charing Power Output: 5V 0.3A Relative Humidity 4=85% Operating Temperature 0 to 40°C (32 to 104°F) Storage Temperature 3 to 60°C (5 to 140°F) Battery Battery Battery Type Rechargeable Lithium-lon Battery (500 mAh) Battery Life Up to 4 months on a single full charge * Actual battery life varies by use. Country Of Origin, Regulatory, And Warranty Country of Origin Warranty 3-year Limited Certifications & Compliance CB, CE, FCC, IC, RCM, DoE, CEC, NRCan, BOB, WHO UKCA, SUBTEL, ROHS, ACCO RSL Sustainability Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)		Packaging Style	Brown box
(individual; all contents included) Packaging Content 1 x MY430 Mouse 1 x USB-A Receiver 1 x USB-C (Male) to USB-A (Male) Charging Cable 1 x Curick Start Guide 1 x Compiliance Sheet 1 x Warranty Card Master Carton Master Carton Packaging Dimensions Master Carton Packaging Weight (all contents included) Power & Environmental Power Imaging Bluetooth: 3.7V, 1.9mA / 2.4GHz: 3.7V, 2.1mA Power Standby 3.7V 0.03mA Charing Power Output: SV 0.3A Relative Humidity <=85% Operating Temperature 0 to 40°C (32 to 104°F) Storage Temperature -15 to 60°C (5 to 140°F) Battery Battery Battery Type Rechargeable Lithium-Ion Battery (500 mAh) Battery Life Up to 4 months on a single full charge *Actual battery life varies by use. Country Of Origin, Regulatory, And Warranty Country Of Origin Warranty Gertifications & Compliance China Warranty Gertifications & Compliance The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)			105 x 53 x 123mm (4.1 x 2.1 x 4.8")
1 x USB-C Receiver 1 x USB-C (Male) to USB-A (Male) Charging Cable 1 x Quick Start Guide 1 x Compliance Sheet 1 x Warranty Card Master Carton 5pcs Master Carton Packaging Dimensions Master Carton Packaging Weight (all contents included) Power & Environmental Power Imaging Bluetooth: 3.7V, 1.9mA / 2.4GHz: 3.7V, 2.1mA Power Standby Charing Power Output: 5V 0.3A Relative Humidity Cesting Temperature Oto 40°C (32 to 104°F) Storage Temperature Battery Battery Battery Type Rechargeable Lithium-Ion Battery (500 mAh) Up to 4 months on a single full charge "Actual battery life varies by use. Country Of Origin, Regulatory, And Warranty Certifications & Compliance Cel, CE, FCC, IC, RCM, DoE, CEC, NRCan, BQB, WHO UKCA, SUBTEL, ROHS, ACCO RSL The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)			168g (0.37lbs)
Master Carton Packaging Dimensions Master Carton Packaging Weight (all contents included) Power & Environmental Power Imaging Power Standby Charing Power Relative Humidity Operating Temperature Storage Temperature Battery Battery Type Battery Life Country Of Origin, Regulatory, And Warranty Country Of Origin, Regulatory, And Warranty Country Of Origin, Regulatory, Compliance Country Of Origin Warranty Country Of Origin Certifications & Compliance Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)		Packaging Content	1 x USB-A Receiver 1 x USB-C (Male) to USB-A (Male) Charging Cable 1 x Quick Start Guide 1 x Compliance Sheet
Master Carton Packaging Weight (all contents included) Power & Environmental Power Imaging Power Standby 3.7V 0.03mA Charing Power Charing Power Relative Humidity Querating Temperature Otto 40°C (32 to 104°F) Storage Temperature Otto 40°C (5 to 140°F) Storage Temperature Output: 5V 0.3A Relative Humidity (=85% Operating Temperature Otto 40°C (32 to 104°F) Storage Temperature Otto 40°C (5 to 140°F) Battery Battery Battery Type Rechargeable Lithium-Ion Battery (500 mAh) Up to 4 months on a single full charge *Actual battery life varies by use. Country Of Origin, Regulatory, And Warranty Country Of Origin China Warranty 3-year Limited Certifications & Compliance CB, CE, FCC, IC, RCM, DoE, CEC, NRCan, BQB, WHO UKCA, SUBTEL, ROHS, ACCO RSL Sustainability Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)		Master Carton	5pcs
(all contents included) Power & Environmental Power Imaging Bluetooth: 3.7V, 1.9mA / 2.4GHz: 3.7V, 2.1mA Power Standby 3.7V 0.03mA Charing Power Output: 5V 0.3A Relative Humidity <=85% Operating Temperature 0 to 40°C (32 to 104°F) Storage Temperature -15 to 60°C (5 to 140°F) Battery Battery Battery Type Rechargeable Lithium-Ion Battery (500 mAh) Up to 4 months on a single full charge *Actual battery life varies by use. Country Of Origin, Regulatory, And Warranty Country Of Origin China Warranty 3-year Limited Certifications & Compliance CB, CE, FCC, IC, RCM, DoE, CEC, NRCan, BQB, WHO UKCA, SUBTEL, ROHS, ACCO RSL Sustainability Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)		Master Carton Packaging Dimensions	291 x 120 x 147mm (11.4 x 4.7 x 5.8")
Power Imaging Bluetooth: 3.7V, 1.9mA / 2.4GHz: 3.7V, 2.1mA Power Standby 3.7V 0.03mA Charing Power Output: 5V 0.3A Relative Humidity <=85% Operating Temperature 0 to 40°C (32 to 104°F) Storage Temperature -15 to 60°C (5 to 140°F) Battery Battery Type Rechargeable Lithium-Ion Battery (500 mAh) Battery Life Up to 4 months on a single full charge *Actual battery life varies by use. Country Of Origin, Regulatory, And Warranty Country of Origin China Warranty 3-year Limited CB, CE, FCC, IC, RCM, DOE, CEC, NRCan, BQB, WHO UKCA, SUBTEL, ROHS, ACCO RSL Sustainability Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)			1kg (2.2lbs)
Power Standby Charing Power Output: 5V 0.3A Relative Humidity Qperating Temperature Oto 40°C (32 to 104°F) Storage Temperature -15 to 60°C (5 to 140°F) Battery Battery Type Rechargeable Lithium-Ion Battery (500 mAh) Battery Life Up to 4 months on a single full charge *Actual battery life varies by use. Country Of Origin, Regulatory, And Warranty Country of Origin Warranty Country Grigin China Warranty 3-year Limited Certifications & Compliance CB, CE, FCC, IC, RCM, DoE, CEC, NRCan, BQB, WHO UKCA, SUBTEL, ROHS, ACCO RSL Sustainability Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)	Power & Environmental		
Charing Power Relative Humidity C=85% Operating Temperature Ot o 40°C (32 to 104°F) Storage Temperature -15 to 60°C (5 to 140°F) Battery Battery Type Rechargeable Lithium-Ion Battery (500 mAh) Battery Life Up to 4 months on a single full charge *Actual battery life varies by use. Country Of Origin, Regulatory, And Warranty Country of Origin Warranty 3-year Limited Certifications & Compliance CB, CE, FCC, IC, RCM, DoE, CEC, NRCan, BQB, WHO UKCA, SUBTEL, ROHS, ACCO RSL Sustainability Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)		Power Imaging	Bluetooth: 3.7V, 1.9mA / 2.4GHz: 3.7V, 2.1mA
Relative Humidity <=85% Operating Temperature 0 to 40°C (32 to 104°F) Storage Temperature -15 to 60°C (5 to 140°F) Battery Battery Type Rechargeable Lithium-Ion Battery (500 mAh) Battery Life Up to 4 months on a single full charge *Actual battery life varies by use. Country Of Origin, Regulatory, And Warranty Country of Origin China Warranty 3-year Limited Certifications & Compliance CB, CE, FCC, IC, RCM, DoE, CEC, NRCan, BQB, WHO UKCA, SUBTEL, ROHS, ACCO RSL Sustainability Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)		Power Standby	3.7V 0.03mA
Operating Temperature Storage Temperature O to 40°C (32 to 104°F) Storage Temperature -15 to 60°C (5 to 140°F) Battery Battery Type Rechargeable Lithium-Ion Battery (500 mAh) Up to 4 months on a single full charge *Actual battery life varies by use. Country Of Origin, Regulatory, And Warranty Country of Origin Warranty Certifications & Compliance CB, CE, FCC, IC, RCM, DoE, CEC, NRCan, BQB, WHO UKCA, SUBTEL, ROHS, ACCO RSL Country Of Pecycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)		Charing Power	Output: 5V 0.3A
Storage Temperature -15 to 60°C (5 to 140°F) Battery Battery Type Rechargeable Lithium-Ion Battery (500 mAh) Dup to 4 months on a single full charge * Actual battery life varies by use. Country Of Origin, Regulatory, And Warranty Country of Origin Warranty Certifications & Compliance CB, CE, FCC, IC, RCM, DoE, CEC, NRCan, BQB, WHO UKCA, SUBTEL, ROHS, ACCO RSL Custainability Cression of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)		Relative Humidity	<=85%
Battery Type Rechargeable Lithium-Ion Battery (500 mAh) Battery Life Up to 4 months on a single full charge * Actual battery life varies by use. Country Of Origin, Regulatory, And Warranty Country of Origin China Warranty 3-year Limited Certifications & Compliance CB, CE, FCC, IC, RCM, DoE, CEC, NRCan, BQB, WHO UKCA, SUBTEL, ROHS, ACCO RSL Sustainability Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)		Operating Temperature	0 to 40°C (32 to 104°F)
Battery Type Battery Life Up to 4 months on a single full charge * Actual battery life varies by use. Country Of Origin, Regulatory, And Warranty Country of Origin Warranty Certifications & Compliance Certificati		Storage Temperature	-15 to 60°C (5 to 140°F)
Battery Life	Battery		
*Actual battery life varies by use. Country Of Origin, Regulatory, And Warranty Country of Origin Warranty 3-year Limited Certifications & Compliance CB, CE, FCC, IC, RCM, DoE, CEC, NRCan, BQB, WHO UKCA, SUBTEL, ROHS, ACCO RSL Sustainability Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)		Battery Type	Rechargeable Lithium-Ion Battery (500 mAh)
Country of Origin Warranty 3-year Limited Certifications & Compliance CB, CE, FCC, IC, RCM, DoE, CEC, NRCan, BQB, WHO UKCA, SUBTEL, ROHS, ACCO RSL Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)		Battery Life	
Warranty Certifications & Compliance CB, CE, FCC, IC, RCM, DoE, CEC, NRCan, BQB, WHO UKCA, SUBTEL, ROHS, ACCO RSL Sustainability Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)	Country Of Origin, Regula	atory, And Warranty	
Certifications & Compliance CB, CE, FCC, IC, RCM, DoE, CEC, NRCan, BQB, WHO UKCA, SUBTEL, ROHS, ACCO RSL Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)		Country of Origin	China
UKCA, SUBTEL, ROHS, ACCO RSL Sustainability Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)		Warranty	3-year Limited
Use of recycled plastic The plastic in this product contains 60% post-consumer recycled (PCR) content (Excludes PCB assembly)		Certifications & Compliance	CB, CE, FCC, IC, RCM, DoE, CEC, NRCan, BQB, WHQL UKCA, SUBTEL, ROHS, ACCO RSL
post-consumer recycled (PCR) content (Excludes PCB assembly)	Sustainability		
Paper Packaging FSC™-certified		Use of recycled plastic	post-consumer recycled (PCR) content
		Paper Packaging	FSC™-certified



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2024 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT45119EN

