

SD4842P EQ USB-C[®] 10Gbps Triple Video Driverless Docking Station

Part Number: K32810NA | UPC Code: 0 85896 32810 0

The sustainable dock for triple screens.

NASTIC CON SUMER

Ideal for professionals requiring a plug-and-play docking solution for USB-C laptops and organizations putting sustainability at the forefront, the SD4842P USB-C[®] 10Gbps Triple Video Docking Station amplifies visual productivity.

Includes 73% post-consumer recycled (PCR) content of total plastic components (Does not include the cable, power supply or power cords).

The SD4842P supports up to 3 external Full HD monitors (1080p @ 120Hz) via 1 x DP and 2 x HDMI[®] connections. The dock also eliminates the need for cumbersome adapters, charging connected accessories without relying on a host laptop connection.

Expand your screens with an effortless dock that will enhance your workflow and amplify your productivity.

Features include:

- Supports up to 3 external displays (1080p @ 120Hz) via DP and HDMI®
- Includes 73% post-consumer recycled (PCR) content of total plastic • Fixed host cable ensures reliable components (Does not include the cable, power supply or power cords)
- Plug-and-play for Thunderbolt[™] 4, Thunderbolt[™] 3, USB4[®], and USB-C[®] Alt-Mode
- Up to 100W laptop charging using a compact GaN technology power supply unit
- 5 x plug & charge USB ports, Gigabit Ethernet port, and combo audio jack

- Equipped with a compact GaN technology power supply unit, it offers better power efficiency
- connection and prevents cable theft
- Up to 10Gbps data transfer speeds
- Accommodates Zero-Footprint Mounting and Kensington Security Lock
- Free Kensington Dockworks[™] software
- 3-year limited warranty

Product Sheet

SD4842P EQ USB-C[®] 10Gbps Triple Video Driverless Docking Station

Part Number: K32810NA | UPC Code: 0 85896 32810 0

Front



Back



SD4842P EQ USB-C[®] 10Gbps Triple Video Driverless Docking Station

Part Number: K32810NA | UPC Code: 0 85896 32810 0



Triple Video Displays

The SD4842P supports up to 3 external monitors (1080p @ 120Hz) via one DP and two HDMI[®] connections.



Sustainability Focused

Includes 73% post-consumer recycled (PCR) content of total plastic components (Does not include the cable, power supply or power cords).



Up to 100W Power Delivery

Supports up to 100W laptop charging using GaN technology power supply unit, which is more compact in size and better in power efficiency, and its plug-and-play feature allows continuous charging of connected devices even when the host laptop is unplugged.



Plug-and-Play

 \mathbf{k}

DockWorks

A simple plug-and-play solution for Thunderbolt™ 4, Thunderbolt™ 3, USB4®, and USB-C® Alt-Mode laptops running Windows 10 or above. No drivers or downloads required.



Multiple Productivity Ports

5 x plug-and-charge USB ports support peripherals with up to 10Gbps (2 x USB-C® 3.2 Gen2 (5V/3A) and 3 x USB-A 3.2 Gen2 (5V/0.9A)). Also, it includes 1 x Gigabit Ethernet port and 1 x combo audio jack.



Fixed Host Cable and Compact GaN Power Supply

A fixed host cable ensures a reliable connection between the dock and the laptop, providing peace of mind against cable theft. The compact GaN technology power supply unit offers better power efficiency.



Zero-Footprint Mounting Option and Security Cable Lock Slots

Maximize desktop space by mounting your docking station out of the way. Mounting bracket sold separately (K34050WW). Protect your investment with a Kensington cable lock (K65020WW or K65021WW), sold separately. card readers.

Free Kensington DockWorks™ Software and 3-Year Limited Warranty

3 Year Limited Warranty

Free DockWorks[™] software delivers the best connection, performance, and security from your Kensington dock. Enjoy peace of mind knowing your covered by Kensington with a professional warranty.

SD4842P EQ USB-C[®] 10Gbps Triple Video Driverless Docking Station

Part Number: K32810NA | UPC Code: 0 85896 32810 0

System Requirements

	Systems Supported	All Laptops with USB-C port (must support USB-C Alt Mode)
	Operating Systems Supported	Windows [®] 10 or above
	Plug & Play	Yes
	System Resource Requirement	CPU: Intel® Core™ i5 6th generation or above Memory: 8Gb or above GPU: Intel® HD Graphics 620 or above
	Additional Software Information	DockWorks (Windows [®] 10 or above)
	USB-C Power Delivery	PD3.0: 5V, 9V, 15V, 20V/5A (Up to 100W fixed power delivery for laptop charging)
USB Interface		
	Type of USB Connector	Tethered USB-C Host Cable
	Host Connector	Supports Thunderbolt™ 4 / Thunderbolt™ 3 / USB4 / USB-C®
USB Connections		
	Ports	Front Panel : - 2 x USB-C® 3.2 Gen2, 10Gbps (up to 5V/3A) - 1 x USB-A® 3.2 Gen2, 10Gbps (up to 5V/0.9A)
		Back Panel :
		- 2 x USB-A® 3.2 Gen2, 10Gbps (up to 5V/0.9A)
		Side Panel : - 1 x tethered type USB-C® 3.2 Gen2 10Gbps cable (up to 100W Charging)
Network Connections		
	Ethernet Port	RJ45
	Compatible Ethernet Speeds	10/100/1000Mbps
Host Connectivity		
	Host Docking Connector	USB-C tethered type cable with power delivery up to 100W

SD4842P EQ USB-C[®] 10Gbps Triple Video Driverless Docking Station

Part Number: K32810NA | UPC Code: 0 85896 32810 0

Video Connections

High Resolution	on _		
Thunderbolt [™] 3/ Thunderbolt [™] 4 / USB4 [®] / USB-C [®] Alt Mode with DP1.4 HBR3 DSC enabled (Windows)	Up to 8K@30Hz	Up to 4K@60Hz	Up to 4K@30Hz
USB-C [®] Alt Mode with DP1.4 HBR3 DSC enabled (Windows)	Up to 4K@60Hz	Up to 4K@30Hz	Up to 1080p@60Hz
High	Rate Hz		Hz Hz Hz
Thunderbolt™ 3/ Thunderbolt™ 4 / USB4®/ USB-C® Alt Mode with DP1.4 HBR3 DSC enabled (Windows)	Up to 1080p@240Hz	Up to 1080p@120Hz	Up to 1080p@120Hz
	Maximum Resolution Supported	Maximum resolution (DP1.4/HBR3/DSC Enabled) Single 8K @ 30Hz Dual 4K @ 60Hz Triple 1080p @ 120Hz	
	HDCP Support	Yes	
Audio Connections			
	Audio Connectors	1 x 3.5mm audio combo jack	
	Audio Channels Supported	Stereo LR	
LED Indicator			
	Blue LED	Power indicator	
Material Specifications			
Material Specifications	Exterior and Bottom	Includes 73% post-co of total plastic comp cable, power supply	onsumer recycled (PCR) content onents (Does not include the or power cords).

SD4842P EQ USB-C[®] 10Gbps Triple Video Driverless Docking Station

Part Number: K32810NA | UPC Code: 0 85896 32810 0

Other Features Kensington Security Slot **Kensington Security Slot** Kensington Nano Security Slot **Product Dimensions** Unit Weight 0.64lbs (0.293kg) Unit Dimensions without Peripherals 7.68 x 4.09 x 1.42 in (195 x 104 x 36mm) Enclosure Color & Material Black. Includes 73% post-consumer recycled (PCR) content of total plastic components (Does not include the cable, power supply or power cords) Desktop Footprint 25.42in² (164cm²) Packaging Dimensions Retail Package (K32810NA) Packaging Style 9.65 x 4.33 x 3.94in (245 x 110 x 100mm) Packaging Dimensions 2.54lbs (1.15kg) Packaging Weight Packaging Content 1 x SD4842P USB-C[®] Triple Video Docking Station 1 x 149.1W Power Supply Unit 1 x NA Power Cord 1 x Quick Installation Guide 1 x Compliance Sheet 1 x Warranty Card 1 x Welcome Card Master Carton 6pcs Power & Environmental Power Adapter Rating Input: 100-240V; 2.5A Max Output: 21V DC 7.1A (149.1W) **Relative Humidity** 55% operating temperature @ 77°F (25°C) 32 to 104°F (0 to 40°C) **Operating Temperature** Storage Temperature -0.4 to 140°F (-18 to 60°C) Country Of Origin, Regulatory, and Warranty Country of Origin Vietnam Certifications & Compliance FCC, IC, CE, UKCA, RCM, VCCI, CB, ErP, RoHS, ACCO RSL 3-Year Limited - Worldwide Warranty

ACCO

All specifications are subject to change without notice. Products may not be available in all markets. Kensington® and Kensington, The Professionals' Choice™ are trademarks of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2024 Kensington Computer Products Group, a division of ACCO Brands. k23-23012p

Kensington The Professionals' Choice"