



SD4781P EQ USB-C® & USB-A Dual 4K Docking Station

Part Number: K33603EU | EAN Code: 5 028252 640718

The
versatile &
sustainable
dock.

Ideal for professionals requiring a single docking solution for a mixed estate of devices and organisations putting sustainability at the forefront, the SD4781P USB-C® & USB-A Dual 4K Docking Station is a versatile dock that supports the latest USB-C® and legacy USB-A* laptops - including dual monitor support for MacBook M1/M2/M3 laptops.

SD4781P's outer case is composed of 73% post-consumer recycled content (PCR), aimed at reducing our environmental impact. The docking station supports up to 2 external Ultra HD monitors (4K @ 60Hz), with the ability to select between HDMI® 2.0 and DP++ 1.2 connections. A secure screw lock USB-C cable ensures the cable remains in place even in busy office environments.

Together with data transfer speeds up to 10Gbps via 6 x USB ports and up to 100W Power Delivery, the SD4781P USB-C® & USB-A Dual 4K Docking Station is the perfect solution for a wide range of different workstation setups.

- Supports USB-C® and legacy USB-A laptops
- Plastic outer case composed of 73% post-consumer recycled content (PCR)
- Secure screw lock keeps the USB-C® host cable in place even in busy office and hot-desking environments
- Dual 4K Video via HDMI® 2.0 and DP++ 1.2
- Up to 100W Power Delivery to compatible laptops while powering connected accessories
- Up to 10Gbps data transfer speeds via 1 x USB-C® port and 5 x USB-A ports
- Accommodates Zero-Footprint Mounting and Kensington Security Lock
- Free Kensington Dockworks™ software
- 3-year limited warranty

* USB-A devices require an alternative power source, sold separately.




SD4781P EQ USB-C® & USB-A Dual 4K Docking Station

Part Number: K33603EU | EAN Code: 5 028252 640718

Front




Back



SD4781P EQ USB-C® & USB-A Dual 4K Docking Station

Part Number: K33603EU | EAN Code: 5 028252 640718



Universal Compatibility

Supports USB-C® and legacy USB-A laptops running Windows 7 or above, macOS 10.14 or above and Chrome OS 44 or above.



Sustainability Focused

Composed of 73% post-consumer recycled content (PCR), the plastic material used in the SD4781P docking station is aimed at reducing our environmental impact.



Secure Screw Lock Connection

Host USB-C cable includes a screw lock to ensure the cable remains in place even in busy office environments.



Multiple Ports

Supports USB-C® and delivers speeds up to 10Gbps via 1 x USB-C® port and 5 x USB-A ports. Also includes 2 x HDMI® 2.0 ports, 2 x DP++ 1.2 ports, Gigabit Ethernet port and an audio combo jack.



Dual 4K Video via HDMI® 2.0 and DP++ 1.2

Four video ports allow you to select between HDMI® 2.0 and DP++ 1.2 without the need for cumbersome adapters. Also enables dual screen supports for M1/M2 MacBooks.



Up to 100W Power Delivery

Delivers power to laptop, docking station and connected accessories. Supports up to 100W for USB-C® Alt Mode laptops. USB-A laptops require an alternative source of power, sold separately.



Zero-Footprint Mounting Option and Security Cable Lock Slots

Maximise desktop space by mounting your docking station out of the way. Mounting bracket sold separately (K34050WW). Protect your investment with a Kensington cable lock (K65020EU or K65021WW), sold separately.



Industry-Leading Quality, Warranty and Support

Built with quality in mind, we stand behind the SD4781P USB-C® and USB-A Dual 4K Docking Station with a three-year limited warranty.

SD4781P EQ USB-C® & USB-A Dual 4K Docking Station

Part Number: K33603EU | EAN Code: 5 028252 640718

System Requirements

Systems Supported	All laptops with DisplayLink software
Operating Systems Supported	Windows® 7 or above macOS 10.14 or above Chrome OS 44 or above
Plug & Play	No * All Chromebooks using Chrome OS build R51 or later will work with DisplayLink docks and adapters without additional driver installation * Windows 10 S products using DisplayLink technology will get their device drivers either from OEM pre-installation or from Windows Update
Software	Download from DisplayLink website www.displaylink.com/downloads
System Resource Requirement	CPU: Intel® Core™ i5 6th generation or above Memory: 8Gb or above GPU: Intel® HD Graphics 620 or above
Additional Software Information	DockWorks (Windows® 10 or above)
USB-C Power Delivery	PD3.0: 5V, 9V, 15V, 20V/5A (up to 100W)

USB Interface

Type of USB Connector	USB-C Screw Lock Connector with USB-A adapter
Host Connector	Supports Thunderbolt™ 4 / Thunderbolt™ 3 / USB4 / USB-C® / USB-A

USB Connections

Ports	<p>Front Panel :</p> <ul style="list-style-type: none"> 1 x USB-A 3.2 Gen2 10Gbps (5V/1.5A, supports BC 1.2*) *USB Battery Charging 1.2-compliant devices (up to 5V/ 2.4A for Apple Devices) 1 x USB-C 3.2 Gen2 10Gbps (5V/3A , up to 9V/2A) <p>Back Panel :</p> <ul style="list-style-type: none"> 4 x USB-A 3.2 Gen1 5Gbps (5V/0.9A)
-------	---

Network Connections

Ethernet Port	RJ45
Compatible Ethernet Speeds	10/100/1000 Mbps

Host Connectivity

Host Docking Connector	Connecting with USB-C: Power Delivery up to 100W
------------------------	--

SD4781P EQ USB-C® & USB-A Dual 4K Docking Station

Part Number: K33603EU | EAN Code: 5 028252 640718

Video Connections

Video Connectors	2 x DisplayPort ++ v1.2 2 x HDMI 2.0
Maximum Resolution Supported	Single Monitor: 4096 x 2160 @ 60Hz Dual Monitors: 4096 x 2160 @ 60Hz

Audio Connections

Audio Connectors	1 x 3.5mm audio combo jack
Audio Channels Supported	Stereo LR

LED Indicator

Blue LED	Power indicator
----------	-----------------

Material Specifications

Exterior	Enclosure: PC ABS with texture. The plastic material utilised in this docking station is composed of 73% post-consumer recycled content (PCR).
Bottom	Metal Base Plate: sheet metal
Product Colour	PMS Black

Other Features

Kensington Security Slot	Kensington Security Slot Kensington Nano Security Slot
--------------------------	---

Product Dimensions

Unit Weight	0.385kg (0.85lbs)
Unit Dimensions without Peripherals	210 x 90 x 30mm (8.26 x 3.54 x 1.18")
Desktop Footprint	189 cm ² (29.29 in ²)

Packaging Dimensions

Packaging Style	Bulk Package (K33603EU)
Packaging Dimensions	235 x 150 x 90mm (9.25 x 5.91 x 3.62")
Packaging Weight	1.46kg (3.22lbs)
Packaging Content	1 x SD4781P USB-C & USB-A Dual 4K Docking Station 1 x USB-C 3.2 Gen2 Cable with Adapter & Screw Lock 1 x 170W Power Supply Unit 1 x EU Power Cord 1 x UK Power Cord 1 x Quick Installation Guide 1 x Compliance Sheet 1 x Warranty Card 1 x Welcome Card
Master Carton	6

SD4781P EQ USB-C® & USB-A Dual 4K Docking Station

Part Number: K33603EU | EAN Code: 5 028252 640718

Power & Environmental

Power Adapter Rating	Input: 100-240V; 1.8A Output: 20V DC 8.5A (170W)
Relative Humidity	55% operating temperature @ 25°C (77°F)
Operating Temperature	0 to 40°C (32 to 104°F)
Storage Temperature	-18 to 60°C (-0.4 to 140°F)

Country of Origin, Regulatory and Warranty

Country of Origin	Thailand
Certifications & Compliance	FCC, IC, CE, CB, ErP, RoHs, ACCO RSL, UKCA
Warranty	3-Year Limited - Worldwide



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2023 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. CBT43489EN

Kensington
The Professionals' Choice™