PowerPointer Presentation Remote

Part number: K75241EU | EAN Code: 5028252606646

Now everyone in the room and on the call can see the pointer, exactly as intended.

The PowerPointer Presentation Remote with Virtual Laser Pointer is perfect for online meetings using PowerPoint® presentations. There is no need to install any software to use features such as virtual laser pointer, marker pen and black/white screen modes as they are already built into Microsoft PowerPoint.

Features include:

- PowerPoint® integration for Windows® and macOS®
  (Adapter required for use with USB-C ports. Not included.)

- Virtual laser point and pen visibility when running PowerPoint, even when presenting via web conferencing

- Intuitive controls

- No software required

- 15 metre (49 feet) operating range

- Micro USB rechargeable

Kensington
The Professionals' Choice™

FOR MORE INFORMATION CONTACT: contact@kensington.com

PowerPointer Presentation Remote

Part number: K75241EU | EAN Code: 5028252606646

PowerPoint® integration for Windows® and macOS®

Uses presenter features already built into PowerPoint, such as a digital laser pointer and pen. Compatible with PowerPoint 2010 or later on Windows and PowerPoint version 16.09 or later on macOS. *Adapter required for use with USB-C ports. Not included.

Virtual laser pointer and pen visibility

Can be seen on multiple presentation screens simultaneously. It's the ideal presentation tool for conference rooms and auditoriums with more than one display screen, or online meetings with remote audiences using web meeting tools such as WebEx®, GoToMeeting®, Skype™ and join.me®.

Intuitive controls

Larger concave forward button and smaller convex back button are positioned next to each other as you would expect to find on a keyboard, ensuring buttons are easy to find simply by touch, even in a dark auditorium.

No software required

USB 3.0/2.0 plug-and-play simplicity and ease. No downloads, installation, updates or administrator rights/access required.

15 metre (49 feet) operating range

Wireless receiver fits any USB 3.0/2.0 port and provides up to 15 meters (49 feet) of operating range, so you can wander the room, stage or auditorium. Includes AES 128 encryption. For optimal wireless range, plug receiver directly into host presentation device (e.g. laptop, desktop PC).

Micro USB Rechargeable

Never have to buy another battery. Just recharge and go. LED power level indicators let you know when it's time to recharge.

Kensington®

PowerPointer Presentation Remote

Part number: K75241EU | EAN Code: 5028252606646

System requirement

Plug and play	No additional software required
Operating systems supported	Compatible with Microsoft PowerPoint 2010 or later on Windows and PowerPoint Version 16.09 or later macOS* *Adapter required for use with USB-C ports. Not included.
Application software supported	(Full product features available) Microsoft PowerPoint for Windows 2010 or later Microsoft PowerPoint for Macintosh Version 16.09 or later
Application software supported	(Forward & back functions only) Apple Keynote PDF

Connectivity

Connectivity	USB Type-A Receiver
Wireless operating distance	Up to 15 metres (49 feet)
Wireless technology	2.4GHz wireless technology
Pointer technology	Motion sensing
Rechargeable battery	Recharge via Micro USB connection. Charge time less than 2h. Max presentation time 40h

Product dimensions

Unit dimensions	Width: (29mm) Length: (142mm) Height: (12mm)
Unit weight	(110g)
Enclosure colour and material	Silver aluminium

Packaging dimensions

Packaging style	Retail box
Packaging dimensions	Width: (128mm) Length: (45mm) Height: (188mm)
Packaging weight	(120g)
Package contents	Kensington PowerPointer Micro USB charge cable Quick start guide Warranty insert

PowerPointer Presentation Remote

Part number: K75241EU | **EAN Code:** 5028252606646

Power and environmental

Battery life	~40h presentation time from fully charged battery
Operating temperature	10°C – 45°C
Storage temperature	-10°C ~ +35°C
Relative humidity	60% ± 15%RH

Country of origin, regulatory and warranty

Country of origin	China
Certification and compliance	FCC, IC, CE, RCM, REACH, RoHS, WEEE
Warranty	3-year limited warranty

Special notes

Multiple SKUs with retail artwork	K75241EU for EU K75241WW for North Americas, ANZ, RoW of APAC

Kensington
The Professionals' Choice™

FOR MORE INFORMATION CONTACT: contact@kensington.com