



SD4849Pv USB-C 10Gbps Triple Video Driverless Docking Station - 100W PD - DP++/HDMI/VGA - Windows

Part Number: K37060NA | UPC Code: 0 85896 37060 4

Speed, power,
and triple video,
all from one dock.


If you're looking for an easy-to-use plug-and-play USB-C docking solution that offers speed, power, and the flexibility to connect up to three monitors, the SD4849Pv USB-C 10Gbps Triple Video Driverless Docking Station is for you. No drivers, downloads, or updates necessary — just plug it in and go. 100W Power Delivery will have your laptop charged at maximum speed, while 10 Gbps transfer speed supports ultra-fast data transfer, so your productivity is never compromised. With thirteen ports in all, you'll have the flexibility to add multiple devices without additional dongles or adapters.

Features include:

- Driverless USB-C connectivity
- 10Gbps data transfer speeds
- 100W Power Delivery (PD 3.0)
- Universal Windows compatibility
- Numerous video ports
- 10Gbps data transfer speeds
- 13-port design with 5 USB ports
- SD and Micro UHS-I SD 3.0 card readers
- Vertical design
- Free Kensington DockWorks™ Software
- Three-year warranty

SD4849Pv USB-C 10Gbps Triple Video Driverless Docking Station - 100W PD - DP++/HDMI/VGA - Windows

Part Number: K37060NA | UPC Code: 0 85896 37060 4



SD4849Pv USB-C 10Gbps Triple Video Driverless Docking Station - 100W PD - DP++/HDMI/VGA - Windows

Part Number: K37060NA | UPC Code: 0 85896 37060 4



Driverless, USB-C Connectivity with 100W Power Delivery (PD 3.0)

No driver installation, download, or update required. Just plug and play. 100W Power Delivery charges most laptops at maximum speed.



Universal Windows Compatibility

Connects seamlessly to any USB-C laptop running Windows 10 and above.



Numerous Video Ports

With two HDMI 2.0 ports, one DP1.4++ port, and one VGA port to support legacy monitors, select the right connections and resolutions for your needs.



10Gbps Data Transfer Speeds

Supporting ultra-fast and efficient data transfer, this docking station includes a 1m USB-C to USB-C 3.2 Gen2 cable for flexible placement.



13-Port Design with 5 USB Ports

The front features one USB-C 3.2 Gen2 port up to 5V/1.5A/10Gbps, two USB-A 3.2 Gen2 ports up to 5V/0.9A/10Gbps, a combo audio port, and SD and Micro SD UHS-I 3.0 card readers. The rear features two USB-A 2.0 ports (great for keyboards and mice), a Gigabit Ethernet port, and four video ports (two HDMI 2.0 ports, one DP1.4++ port, and one VGA port).



SD and Micro SD UHS-I 3.0 Card Readers

Transfer files fast, using the built-in SD and Micro SD card readers. No need for additional adapters and accessories to transfer hi-res photos and video footage.



Vertical Design

Maximizes desktop space.



Free Kensington DockWorks™ Software and Three-Year Warranty

DockWorks™ WiFi Auto-Switch guarantees the fastest, most reliable internet connection; while MAC Address ID Pass-Through and Reset, and Device Connection Monitoring give IT managers maximum network monitoring and visibility. A three-year warranty lets you rest assured knowing you're covered by Kensington.

SD4849Pv USB-C 10Gbps Triple Video Driverless Docking Station - 100W PD - DP++/HDMI/VGA - Windows

Part Number: K37060NA | UPC Code: 0 85896 37060 4

System Requirements

Systems Supported	All Laptops with USB-C port (must support USB-C Alt mode)
Operating Systems Supported	Windows® 10 or above
Plug & Play	Yes
Software	N/A
System Resource Requirement	CPU: Intel® Core™ i5 6th generation or above Memory: 8Gb or above GPU: Intel® HD Graphics 620 or above
Additional Software Information	DockWorks (Windows 10 +)
USB-C Power Delivery	PD3.0, 5V/ 9V/ 15V/ 20V@5A (up to 100W)

USB Interface

Type of USB Connector	USB-C Connector
Host Connector	Support USB3.2 Gen2 Type-C with USB-C Alt mode

USB Connections

Ports	<p>Front Panel :</p> <ul style="list-style-type: none"> - 1 x Power Button - 1 x USB-C 3.2 Gen2 (up to 5V/1.5A) - 2 x USB-A 3.2 Gen2 (up to 5V/0.9A) - 1 x SD/Micro SD 3.0 card reader (UHS-I) - 1 x Audio Combo Jack <p>Back Panel :</p> <ul style="list-style-type: none"> - 1 x USB-C Host Port (up to 100W Charging) - 2 x HDMI 2.0 - 1 x DP1.4++ / 1 x VGA - 1 x 1Gbps Ethernet - 2 x USB-A 2.0 (up to 5V/0.9A)
-------	--

Network Connections

Ethernet Port	RJ45
Compatible Ethernet Speeds	10/100/1000 Mbps

Host Connectivity

Host Docking Connector	USB-C with Power Delivery up to 100W
------------------------	--------------------------------------





















SD4849Pv USB-C 10Gbps Triple Video Driverless Docking Station - 100W PD - DP++/HDMI/VGA - Windows

Part Number: K37060NA | UPC Code: 0 85896 37060 4

Video Connections

Video Connectors 1 x DisplayPort v1.4 ++
2 x HDMI 2.0

Maximum Resolution Supported Refer to table

	1X 		2X 		3X 	
	DP1.2	DP1.4 (DSC ON)		DP1.2	DP1.4 (DSC ON)	
 / 	3840*2160 @ 30Hz	3840*2160 @ 60Hz	 / 	1080p @ 60Hz	3840*2160 @ 60Hz	 / 
	1080p @ 60Hz		 / 	1080p @ 60Hz	3840*2160 @ 60Hz	 / 
				1080p @ 60Hz	3840*2160 @ 60Hz	
				1080p @ 60Hz	1080p @ 60Hz	

Audio Connections

Audio Connectors 1 x 3.5mm audio combo jack

Audio Channels Supported Stereo LR

LED Indicator

Blue LED Power indicator

Material Specifications

Exterior Enclosure: PC + ABS with texture

Bottom Metal Base Plate: Sheet metal

Product Color PMS Black

Other Features

Kensington Security Slot Kensington Security Slot

Product Dimensions

Unit Weight 1.32lbs (0.6kg)

Unit Dimensions without Peripherals H x D x W – 7.48 x 4.52 x 2.67in (190 x 115 x 68mm) with dock stand

Enclosure Color & Material PMS Black, PC ABS

Desktop Footprint 12.12in² (78.2cm²)

SD4849Pv USB-C 10Gbps Triple Video Driverless Docking Station - 100W PD - DP++/HDMI/VGA - Windows

Part Number: K37060NA | UPC Code: 0 85896 37060 4

Packaging Dimensions

Packaging Style	Bulk Package (K37060 NA/EU/UK/AP/JP)
Packaging Dimensions	8.26 x 4.92 x 4.33in (210 x 125 x 110mm)
Packaging Weight	3.59lbs (1.63kg)
Packaging Content	1 x SD4849Pv Dock 1 x 1m USB-C cable 1 x Power Supply Unit (Power Cord is varied by different SKUs) 1 x Instruction Guide 1 x Warranty Card 1 x Compliance Sheet
Master Carton	4

Power and Environmental

Power Adapter Rating	Input: 100-240V; 2.5A / Output: 20V DC 9A (180W)
Relative Humidity	55% RH operating temperature @ 25°C
Operating Temperature	0 to 45°
Storage Temperature	0 to 60°

Country of Origin, Regulatory, and Warranty

Country of Origin	China for EU/AP/JP, Vietnam for NA
Certifications & Compliance	FCC, IC, CE, RCM, VCCI, UKCA, CB, RoHS, ACCO RSL
Warranty	3-Year Limited - worldwide

Special Notes

Multiple SKUS	Bulk Package (K37060 NA/EU/UK/AP/JP)
---------------	--------------------------------------



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. © 2022 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. k21-21216p

Kensington

The Professionals' Choice™